

TOSH VA TEMIR-BETON KONSTRUKTSIYALARNI KUCHAYTIRISHNI TANLASHGA TA'SIR QILADIGAN OMILLAR

**N. D. Zakhidov, Nabiyev Muminjon, Nasriddinov Xasan Shavkatovich,
Qodirov G'iyosjon Mirzajonovich, Abdurahmonov Abduxoliq Abduxodi o'g'li**
Farg'ona Politexnika Instituti, O'zbekiston

ARTICLE INFO.

Ключевые слова: Арматура, композит, деформация, конус, хомуты, панели, кирпичные стены, углеродные волокна, вытеснение, расслаивание, колонны, перемычки.

Аннотация

В этой статье даются рекомендации по повышению качества строительства и достижению экономической эффективности. Последовательная реализация важных приоритетных задач, программ и проектов по развитию инфраструктурных объектов в нашей стране привела к научным исследованиям, направленным на развитие современного строительства в городах и районах, в том числе в сельской местности. Анализ результатов большое внимание уделяется развитию национально-инновационной системы производства строительных материалов, объектов и сооружений, обеспечению требуемых темпов роста современного строительства, развитию строительной отрасли. В этой статье даны соответствующие рекомендации по проблемам и решениям, с которыми сталкиваются материалы, используемые для армирования каменных и железобетонных конструкций.

<http://www.gospodarkainnowacje.pl/> © 2024 LWAB.

Tuzilmalarni mustahkamlash bo'yicha zarur chora-tadbirlar to'g'risida qaror qabul qilish uchun buzilishlarning turlari va xarakteri, shuningdek kutilayotgan oqibatlar to'g'risida ma'lumot talab qilinadi. Qurilish elementlarining shikastlanishining sabablari ortiqcha yuklar, yukni qo'llash tizimining buzilishi, geometriyadagi o'zgarishlar, material sifati va boshqalar bo'lishi mumkin.

Xavfsizlikning buzilishi, texnologik (funktsional) yaroqlilik nuqtai nazaridan, yuk ko'tarish qobiliyatining tugashi, barqarorlikni yo'qotishi, haddan tashqari deformatsiyalarning paydo bo'lishi, favqulodda vaziyatlar va boshqalar mumkin. Xarakterli zararlar bu holatlarning belgilari bo'lishi mumkin. . Yuk ko'tarish qobiliyatining tugashi ma'lum bir kuchlanish-deformatsiya holatiga mos keladigan yoriqlar, kesimning geometriyasining pasayishi, materialning mustahkamligining pasayishi va alohida qismlarning parchalanishi, shuningdek mexanik shikastlanishlar bilan tasdiqlanadi.

Elementlarning barqarorligini yo'qotishning dalili: rulonlar, tekislikdan tashqarida, bo'limning deplanatsiyasi, haddan tashqari egilish - elementlarning siqilishi uchun xarakterli belgilar.

Tosh va temir-beton konstruksiyalarga kelsak, qayta tiklash va yuk ko'tarish qobiliyatini oshirish turli xil konstruktiv materiallardan foydalangan holda kesmani (qisqich, kengaytma) oshirish orqali erishiladi; oldindan kuchlanishli elementlardan foydalanish; qo'shimcha tayanchlarni joriy etish.

Qattqlikning oshishi kamar va iplarni tartibga solish, shuningdek, bo'limlarni ko'paytirish, shu

jumladan qattiq mustahkamlashdan foydalanish orqali erishiladi.



1-rasm. Ko‘prik ustunini muqobil muzdan tushirishdan beton yuzani yo‘qolishi

Usul	Qisqacha xarakterli	Yuk kotarish pasayishi	Kuchaytirish effekti
1. Bo‘limni ko‘paytirish	Klipslar, ko‘ylaklar, qoplamalar, kengaytmalar qurilmasi	21—40	Yuk ko‘tarish qobiliyatini 20-50% ga oshirish va qattqlikni oshirish
2. kuchlanishni o‘zgarish holatiga konstruksiyaviy sxemasi	Sprengels qurilmasi, tarang sprengels, kirish qo‘shimcha havolalar	40—60	Yuk ko‘tarish qobiliyatini oshirish va tiklash.
3. To‘liq yoki qisman tushirishning tushirish inshootlari	qo‘shimcha tuzilmalarni o‘rnatish yangisiga asoslanadigan yoki mavjud qo‘llab-quvvatlaydi	40—60	Kuchaytirgichni o‘chirish elementlar to‘liq yoki qisman
4. Tashuvchini tushirish yukni kamaytiradigan tuzilmalar	Xonalarda funksional o‘zgarishlar, yanada samarali issiqlik va ovoz izolyatsiya materiallari bilan almashtirish	60	Kerakli yuk ko‘tarish qobiliyatini ta‘minlash

5. Xavfsizlik chegaralarini aniqlash	Tuzilmalarni qayta hisoblash modellar bo'yicha haqiqiy ishlarni hisobga olgan holda yangilangan hisoblash sxemalariga muvofiq	30—40	Yuk ko'tarish qobiliyatini 10-15 % ga oshirish
6. Yangisini qurish chuqurligi etarli bo'lmagan tuzilmal	mavjud bo'lgan yangi elementlarni mustahkamlash orqali yangi qo'llab-quvvatlash	21—40	Kerakli qo'llab-quvvatlash shartlarini ta'minlash



2-rasm. Devorning butun balandligi bo'ylab poydevorning buzilishi natijasida yuzaga kelgan yoriq. Cheklangan xizmat ko'rsatish holati.

Tosh konstruksiyalari holatining o'zgarishiga ta'sir qiluvchi ikkita kattalashtirilgan omillar guruhi ushbu tuzilmalarning ishlashini tiklash usullarini oldindan belgilaydi:

binolarning konstruktiv elementlarining asosini o'zgartirish natijasida yuzaga kelgan buzilishlar;

strukturaning ma'lum bir tuzilishiga to'g'ridan-to'g'ri kuch, korroziya yoki boshqa ta'sirlardan tuzilmalar materialida sodir bo'lgan deformatsiya o'zgarishlari.

Bunday holda, buzilgan poydevorni mustahkamlash bilan binoning ish holatini tiklash mumkin. Keyinchalik, dübeller, qavslar, langarlar bilan mahkamlash, yuqori kamar yoki iplar bilan mustahkamlash maqsadga muvofiqdir. Devor elementlari yoki ustunlarning ko'taruvchanligi etarli bo'lmaganda, mustahkamlash ko'pincha turli xil kliplar qurilmasi tomonidan amalga oshiriladi. Shunday qilib, birinchi navbatda, tezda muhim bo'lganlarga aylanishi mumkin bo'lgan quvvat shikastlanishini tan olish kerak. Struktura xavfsizlikning chegaralangan darajasiga yetganda, unda qaytarib bo'lmaydigan o'zgarishlar kuzatiladi: yoriqlar, siqilgan elementlarning burishishi, plastik

deformatsiyalar, korroziya shikastlanishi va boshqalar. Konstruksiyalardagi tanqidiy tabiatning buzilishi avariya olib kelishi mumkin. Tuzilmalarning holatini o'z vaqtida baholash ularning ishlashining ishonchligini ta'minlab, o'z vaqtida ta'mirlashga imkon beradi. Ishlayotgan inshootlarning ishonchligini taxminiy baholash uchun og'ish yoki buzilishlarni aniqlash, ularni namunali analog bilan aniqlash talab qilinadi. Tuzilmalarda aniqlangan og'ishlar darajasiga ko'ra, alohida elementlarning ahamiyatini hisobga olgan holda binoning nisbiy ishonchligi o'rnatiladi. Bino yoki inshootga etkazilgan zararni umumiy baholash quyidagi formula bo'yicha tavsiya etiladi.

$$\varepsilon = \frac{\alpha_1 \cdot \varepsilon_1 + \alpha_2 \cdot \varepsilon_2 + \dots + \alpha_i \cdot \varepsilon_i}{\alpha_1 + \alpha_2 + \dots + \alpha_i}$$

$\varepsilon_1, \varepsilon_2, \dots, \varepsilon_i$ – ayrim turdagi tuzilmalarga etkazilgan zararning maksimal miqdori;

$\alpha_1, \alpha_2, \dots, \alpha_i$ – ayrim turdagi tuzilmalarning ahamiyati koeffitsientlari.

Zarar miqdorini baholashda ularning eng katta qiymati hisobga olinadi, chunki bino yoki inshootdagi avariya odatda bitta tuzilishda muhim nuqson mavjudligi sababli sodir bo'ladi. Tuzilmalarning ahamiyati yoki ahamiyati koeffitsientlari alohida tuzilmalarni yo'q qilish oqibatlarini yoki ularning yuklanish darajasi tahlili bilan belgilanadi. Bundan tashqari, buzilishning mumkin bo'lgan tabiatini (plastik yoki mo'rt) hisobga olish kerak. Eksploatatsiya bosqichi bino va inshoot hayotining asosiy davrini egallaydi va shuning uchun bu davrdagi buzilishlar va nosozliklar ishonchlikka katta ta'sir ko'rsatadi. Operatsion buzilishlariga quyidagilar kiradi:

- ortiqcha yuk;
- operatsion rejimdagi buzilishlar va nosozliklar;
- tuzilmalarning holatini nazorat qilishning etishmasligi va yo'qligi;
- zarar bilan ishlashni davom ettirish;
- kechiktirilgan ta'mirlash;
- qarish materiallari;
- texnologik jarayonning buzilishi;
- ekologik vaziyatning yomonlashishi tufayli korroziya.

Konstruksiyani hisoblash va kuchaytirishning asosiy qoidalari.

- Qurilish elementlarini tiklash yoki mustahkamlashni loyihalash quyidagi ma'lumotlar asosida amalga oshirilishi kerak:
- shikastlangan inshootlarni texnik ko'rikdan o'tkazish va yuk ko'tarish qobiliyatini buzish darajasini aniqlash;
- kuchaytirishni amalga oshirish uchun zarur materiallarning mavjudligi;
- ishlarni bajarish uchun texnologik sharoitlar (mexanizmlar, uskunalar va maydonlar) mavjudligi;
- bino joylashgan hudud sharoitlarining iqlim va geologik ma'lumotlari;
- qayta tiklash yoki kuchaytirishning texnik—iqtisodiy asoslari.
- Zararning to'rt darajasi ko'rib chiqiladi:
- zaif, yuk ko'tarish qobiliyatini pasaytirmaydi;
- yuk ko'tarish qobiliyati 25% gacha pasayganda o'rtacha;
- kuchli, yuk ko'tarish qobiliyati 50% gacha kamayadi;

➤ to‘liq, strukturaning to‘liq buzilishiga olib keladi.

Zaif shikastlanishlar bilan tuzilmalarni tiklash ohak, beton va polimer materiallardan foydalangan holda yoriqlar va chiplarni yopish orqali amalga oshiriladi. O‘rtacha va og‘ir shikastlanishlar bilan ularni tiklash kuchaytirish va ba‘zan almashtirish orqali amalga oshiriladi. Temir-beton konstruksiyalarni tekshirishda shikastlanishning tabiati, ankraj zonasida betonning parchalanishi, ankrajning holati, armaturaning yorilishi, tozalanishi yoki nobud bo‘lishi yoki yo‘qligi, strukturaning egiluvchanligi tabiati, betonning eksfoliatsiyasi mavjudligi, uning yo‘q qilinishi qayd etiladi. Temir-beton konstruksiyalarning kuch ta‘siridan shikastlanish darajasini baholash, asosan, konstruksiyalarning cho‘zilgan va siqilgan zonalarida yoriqlar mavjudligi va o‘lchamlari bilan amalga oshiriladi.

Shunday qilib, hisob—kitobga muvofiq to‘liq yuk ostida normalar tomonidan ruxsat etilgan 0,3-0,4 mm gacha bo‘lgan yoriqlarning ochilishi elementlarning normal ishlashini ko‘rsatadi. 0,4 mm dan yuqori yoriqlarning ochilishi strukturaning haddan tashqari yuklanishini ko‘rsatadi. Yoriqlarni santimetr bilan o‘lchanadigan kattalikka ochish, strukturaning yoki uning elementlarining sezilarli darajada yo‘q qilinishi, armaturaning yorilishi yoki uning ankrajining buzilishi mavjudligini anglatadi. Bu faqat kuch yoriqlarini anglatadi.

Foydalanilgan adabiyotlar

1. Akramov Kh.A, Davlyatov Sh.M, Kimsanov B.I, Nazirov A.S “APPLICATION AND CLASSIFICATION OF COMPOSITE REINFORCEMENT IN CONSTRUCTION” Spectrum Journal of Innovation, Reforms and Development Volume 09, Nov., 2022 Page 95-100
2. Akramov Kh.A, Davlyatov Sh.M, Kimsanov B.I, Nazirov A.S “CONSTRUCTION FEATURES OF PERFORMING EXTERNAL REINFORCEMENT FROM COMPOSITE MATERIALS” Spectrum Journal of Innovation, Reforms and Development Volume 09, Nov., 2022 Page 110-115
3. Akramov Kh.A, Davlyatov Sh.M, Kimsanov B.I, Nazirov A.S “THE ROLE OF ROD STAYED-SHELL SYSTEMS IN STUDIES OF INNOVATIVE STRUCTURES IN CONSTRUCTION” Spectrum Journal of Innovation, Reforms and Development Volume 09, Nov., 2022 Page 116-123
4. Dusmatov, A., Nabiyev, M., Baxromov, M., & Azamjonov, A. (2023). Influence of two-layer axisymmetric cylindrical shells on their physical and mechanical characteristics. In E3S Web of Conferences (Vol. 452, p. 06010). EDP Sciences.
5. Azamjonov Asadbek Tursunali o‘g‘li. "COMPUTER PROGRAMS FOR DESIGNING BUILDING STRUCTURES." Spectrum Journal of Innovation, Reforms and Development 21 (2023): 178-184.
6. Abdukarimov, B. A., Tillaboyeva F. Sh, and A. T. Azamjonov. "CALCULATION OF HYDRAULIC PROCESSES IN SOLAR WATER HEATER COLLECTOR HEAT PIPES." Экономика и социум 4-1 (107) (2023): 4-10.
7. Onorboyev Shavkat, and Azamjonov Asadbek Tursunali o‘g‘li. "IMPACT OF THE CONSTRUCTION INDUSTRY ON ECOLOGY." Miasto Przyszłości 44 (2024): 394-399.
8. Сотволдиев, Ф. & Азамжонов, А. (2023). Анализ солнечных водонагревателей. Тенденции и перспективы развития городов, 1(1), 320-323.
9. Davlyatov, S. M., & Solijonov, F. S. o‘g‘li. (2023). O‘ZBEKISTONDA YETISHTIRILAYOTGAN MAHALLIY YOG‘OCH MATERIALLARINING XUSUSIYATLARI. *GOLDEN BRAIN*, 1(1), 263–265. Retrieved from <https://researchedu.org/index.php/goldenbrain/article/view/4568>
10. Абобакирова, З. А. Эркабоев, А. А. У. & Солижонов, Ф. С. У. (2022). ИССЛЕДОВАНИЕ СОСТОЯНИЯ ДЕФОРМАЦИИ ПРИ РАСТЯЖЕНИИ С ИСПОЛЬЗОВАНИЕМ СТЕКЛОВОЛОКОННОЙ АРМАТУРЫ В БАЛКАХ. *Talqin va tadqiqotlar ilmiy-uslubiy*

jurnali, 4(4), 47-55.

11. Asrorovna, A. Z., Abdug'ofurovich, U. S., & Sodiqjon o'g'li, S. F. (2022). ISSUES OF IMPROVING THE ECONOMY OF BUILDING MATERIAL-WOOD PRODUCTION. *Spectrum Journal of Innovation, Reforms and Development*, 8, 336-340.
12. Abdug'Ofurovich, U. S., O'G'Li, S. F. S., & O'G'Li, E. A. A. (2022). KOMPOZIT ARMATURALI EGILUVCHI BETON ELEMENTLARNING KUCHLANIB-DEFORMATSIYALANGANLIK HOLATINI EKSPERIMENTAL TADQIQ ETISH. *Talqin va tadqiqotlar ilmiy-uslubiy jurnali*, 4(4), 41-46.
13. Abdukarimov B. A., Sh T. F., Azamjonov A. T. CALCULATION OF HYDRAULIC PROCESSES IN SOLAR WATER HEATER COLLECTOR HEAT PIPES //Экономика и социум. – 2023. – №. 4-1 (107). – С. 4-10.
14. Azamjonov Asadbek Tursunali o'g'li, Use of Solar Battery Batteries Research Parks Publishing LLC (2023) C. 76-83.
15. Obidovich A. T. Architecture And Urban Planning In Uzbekistan //Texas Journal of Engineering and Technology. – 2022. – T. 9. – С. 62-64.
16. Muxammadovich A. A. et al. IMPROVING SUPPORT FOR THE PROCESS OF THE THERMAL CONVECTION PROCESS BY INSTALLING REFLECTIVE PANELS IN EXISTING RADIATORS IN PLACES //CENTRAL ASIAN JOURNAL OF MATHEMATICAL THEORY AND COMPUTER SCIENCES. – 2022. – T. 3. – №. 12. – С. 179-183.
17. Obidovich A. T. et al. ROMAN STYLE QUALITY CHANGES IN EUROPEAN ARCHITECTURE IN X-XII CENTURIES //Spectrum Journal of Innovation, Reforms and Development. – 2022. – T. 10. – С. 121-126.
18. BEAMS, D. I. B. R. C. Spectrum Journal of Innovation, Reforms and Development Volume 22, December, 2023 ISSN (E): 2751-1731 Website: www. sjird. journalspark. org DEVELOPMENT OF COMPOSITE REINFORCEMENTS AND CONCRETE DEFORMATIONS IN BASALT REINFORCED CONCRETE BEAMS.
19. Солижонов, Ф., & Курбонов, К. (2023). Расчет бетонных конструкций с композитной арматурой методом предельных состояний. *Тенденции и перспективы развития городов*, 1(1), 481-485.
20. Sodiqjon o'g'li, S. F. (2023). BAZALT KOMPOZIT ARMATURALI BETON TO 'SINLARNI NORMAL KESIMLAR BO 'YICHA MUSTAHKAMLIGINI TADQIQ ETISH.: BAZALT KOMPOZIT ARMATURALI BETON TO 'SINLARNI NORMAL KESIMLAR BO 'YICHA MUSTAHKAMLIGINI TADQIQ ETISH.
21. Solijonov, F. S. (2023). BAZALT KOMPOZIT ARMATURALI TO 'SINLARNI NORMAL KESIMLAR BO 'YICHA TADQIQ ETISH.: BAZALT KOMPOZIT ARMATURALI TO 'SINLARNI NORMAL KESIMLAR BO 'YICHA TADQIQ ETISH.
22. Набиев, М. Н., Насриддинов, Х. Ш., & Кодиров, Г. М. (2021). Влияние Водорастворимых Солей На Эксплуатационные Свойства Наружные Стен. *Ta'lim va rivojlanish tahlili onlayn ilmiy jurnali*, 1(6), 44-47.
23. Shavkatovich, N. K. (2022). SYSTEMS OF ARTIFICIAL REGULATION OF THE AIR ENVIRONMENT OF APARTMENTS AND HOUSES. *Spectrum Journal of Innovation, Reforms and Development*, 9, 169-174.

24. Nabiyev, M., Salimov, O., Khotamov, A., Akhmedov, T., Nasriddinov, K., Abdurakhmanov, U., ... & Abobakirov, A. (2024). Effect of external air temperature on buildings and structures and monuments. In *E3S Web of Conferences* (Vol. 474, p. 03011). EDP Sciences.
25. Khasan, N. (2024). Calculation of Cast Reinforced Concrete Frames of Multi-Story Buildings Taking into Account Dry-Hot Climate Conditions. *Miasto Przyszłości*, 49, 1215-1219.
26. Shavkatovich, N. X. (2022). ESTABLISHMENT OF TEMPERATURE AND HUMIDITY IN APARTMENTS AND HOUSES WITH THE HELP OF ARTIFICIAL PHASE ARTIFICIAL REGULATORY SYSTEMS. *Spectrum Journal of Innovation, Reforms and Development*, 10, 107-114.
27. Ravshanbek o'g'li, R. R. (2023). BAZALT FIBRALARI ORQALI BETON TARKIBNI OPTIMALLASHTIRISH. SO 'NGI ILMIY TADQIQOTLAR NAZARIYASI, 6(7), 37-44.
28. Ravshanbek o'g'li, R. R., & Zuxriddinovna, M. S. (2023). TO 'RT QAVATLI BINONI SEYSMIK KUCHLAR TA'SIRIGA LIRA 9.6 DASTUR YORDAMIDA HISOBLASH.: TO 'RT QAVATLI BINONI SEYSMIK KUCHLAR TA'SIRIGA LIRA 9.6 DASTUR YORDAMIDA HISOBLASH.
29. Nabiyev, M., Salimov, O., Khotamov, A., Akhmedov, T., Nasriddinov, K., Abdurakhmanov, U., ... & Abobakirov, A. (2024). Effect of external air temperature on buildings and structures and monuments. In *E3S Web of Conferences* (Vol. 474, p. 03011). EDP Sciences.
30. Umarov, S. A. O. (2023). UCH QAVATLI BINONI SEYSMIK KUCHLAR TA'SIRIGA LIRA 9.6 DASTUR YORDAMIDA HISOBLASH. *GOLDEN BRAIN*, 1(1), 224-230.
31. Ashurov, M., & Ravshanbek o'g'li, R. R. (2023). RESEARCH OF PHYSICAL AND MECHANICAL PROPERTIES OF BASALT FIBER CONCRETE. *European Journal of Interdisciplinary Research and Development*, 17, 12-18.
32. Numanovich, A. I., & Ravshanbek o'g'li, R. R. (2022). BASALT FIBER CONCRETE PROPERTIES AND APPLICATIONS. *Spectrum Journal of Innovation, Reforms and Development*, 9, 188-195.
33. Abobakirova, Z., Umarov, S., & Raximov, R. (2023). Enclosing structures of a porous structure with polymeric reagents. In *E3S Web of Conferences* (Vol. 452, p. 06027). EDP Sciences.
34. Dusmatov, A., Nabiyev, M., Vaxromov, M., & Azamjonov, A. (2023). Influence of two-layer axisymmetric cylindrical shells on their physical and mechanical characteristics. In *E3S Web of Conferences* (Vol. 452, p. 06010). EDP Sciences.
35. Бахромов, М. М. (2020). Исследование сил негативного трения оттаивающих грунтов в полевых условиях. *Молодой ученый*, (38), 24-34.
36. Бахромов, М. М., Отакулов, Б. А., & Рахимов, Э. Х. У. (2019). Определение сил негативного трения при оттаивании околосвайного грунта. *European science*, (1 (43)), 22-25.
37. Бахромов, М. М., & Рахманов, У. Ж. (2020). Проблемы строительства на просадочных лессовых и слабых грунтах и их решение. *Интернаука*, (37-1), 5-7.
38. Бахромов, М., & Хасанов, Д. (2022). ТЎКМА ГРУНТЛАРДА ЗАМИН ВА ПОЙДЕВОРЛАР ҚУРИЛИШИ. *Евразийский журнал академических исследований*, 2(6), 353-360.
39. Бахромов, М. М., & Рахронов, У. Ж. (2019). Дефекты при проектировании и строительстве оснований и фундаментов. *Проблемы современной науки и образования*, (3 (136)), 76-79.
40. Бахромов, М. М., & Рахронов, У. Ж. (2019). Закономерности воздействия сил негативного трения по боковой поверхности свай. *Проблемы современной науки и образования*, (12-2 (145)), 62-65.

41. Бахромов, М. М., Рахронов, У. Ж., & Отабоев, А. Б. У. (2019). Воздействие сил негативного трения на сваю при просадке грунтов. Проблемы современной науки и образования, (12-2 (145)), 24-35.
42. Бахромов, М. М. (2022). Механические характеристики грунта и погноз закономерности воздействия сил негативного трения по боковой поверхности сваи. PEDAGOGS journali, 10(3), 162-167.
43. Mamatkhanovich, B. M., & Malikov, S. S. (2022). Strength And Deformability Of Metal GlassPlastic Shells Taking Into Account Shear Rigidity. The Peerian Journal, 12, 79-86.
44. Dusmatov, A., Bakhramov, M., & Malikov, S. (2023). Interlaminar shifts of two-layer aggressive-resistant combined plates based on metal and fiberglass. In E3S Web of Conferences (Vol. 389, p. 01030). EDP Sciences.
45. Mamatkhanovich, B. M. (2022). CONSTRUCTION OF FOUNDATIONS IN GRUNTS WITH VARIABLE STRUCTURES. Spectrum Journal of Innovation, Reforms and Development, 10, 115-120.
46. Mamathanovich, B. M. (2023). CONSTRUCTION OF FOUNDATIONS ON DRY SOILS. Spectrum Journal of Innovation, Reforms and Development, 21, 294-297.
47. Mamatkhanovich, B. M. (2022). Construction of Grounds and Foundations on Bulk Soil. Miasto Przyszłości, 201-205.
48. Bakhromov, M. M., Rakmanov, U. J., & Otaboev, A. B. U. (2021). Problems of construction on insulated forest and weak soils and their solution. Asian Journal of Multidimensional Research, 10(10), 604-607.
49. Dusmatov, A., Nabiyev, M., Vaxromov, M., & Azamjonov, A. (2023). Influence of two-layer axisymmetric cylindrical shells on their physical and mechanical characteristics. In E3S Web of Conferences (Vol. 452, p. 06010). EDP Sciences.
50. Дилшоджон оглы, З. Н. (2023). ПРИМЕНЕНИЕ КОМПОЗИТНЫХ МАТЕРИАЛОВ ДЛЯ УСИЛЕНИЯ ЖЕЛЕЗОБЕТОННЫХ КОНСТРУКЦИЙ. Журнал «Спектр» об инновациях, реформах и развитии, 22, 148-154.
51. BASALT FIBER REINFORCEMENT AND GLASS COMPOSITE ROD UNDER SHORT-TERM DYNAMIC LOADING” (Spectrum Journal of Innovation, Reforms and Development Volume 21, Nov., 2023) <https://sjird.journalspark.org/index.php/sjird/article/view/855/821>
52. Набиев, М. Н., Насриддинов, Х. Ш., & Кодиров, Г. М. (2021). Влияние Водорастворимых Солей На Эксплуатационные Свойства Наружные Стен. *Ta'lim va rivojlanish tahlili onlayn ilmiy journali*, 1(6), 44-47.
53. Shavkatovich, N. K. (2022). SYSTEMS OF ARTIFICIAL REGULATION OF THE AIR ENVIRONMENT OF APARTMENTS AND HOUSES. *Spectrum Journal of Innovation, Reforms and Development*, 9, 169-174.
54. Nabiyev, M., Salimov, O., Khotamov, A., Akhmedov, T., Nasriddinov, K., Abdurakhmanov, U., ... & Abobakirov, A. (2024). Effect of external air temperature on buildings and structures and monuments. In *E3S Web of Conferences* (Vol. 474, p. 03011). EDP Sciences.
55. Khasan, N. (2024). Calculation of Cast Reinforced Concrete Frames of Multi-Story Buildings Taking into Account Dry-Hot Climate Conditions. *Miasto Przyszłości*, 49, 1215-1219.
56. Shavkatovich, N. X. (2022). ESTABLISHMENT OF TEMPERATURE AND HUMIDITY IN APARTMENTS AND HOUSES WITH THE HELP OF ARTIFICIAL PHASE ARTIFICIAL

REGULATORY SYSTEMS. *Spectrum Journal of Innovation, Reforms and Development*, 10, 107-114.

57. Қодиров, Ф. М., & Мирзабабаева, С. М. (2022). Бетон ва темирбетон конструкциялар бузилишининг турлари ва уларнинг олдини олиш. *INTERNATIONAL CONFERENCE ON LEARNING AND TEACHING*, 1(6), 91-95.
58. Mirzajonovich, Q. G., & ToychiboyQizi, J. X. (2021). The determination of condensation precipitation on the inner surfaces of the limitation during the action of aerosols. *Asian Journal of Multidimensional Research*, 10(10), 132-137.
59. Sagdiev, K. S., Yuvmitov, A. S., & Qodirov, G. M. (2020). Assessment Of Seismic Resistance Of Existing Preschool Educational Institutions And Recommendations For Their Provision Seismic Safety. *The American Journal of Applied sciences*, 2(12), 90-99.
60. Mirzajonovich, Q. G., & Qizi, J. X. T. Y. (2021). Influence Of Hydrophobizing Additives On Thermal Properties Of Ceramzito Concrete In Agressive Environment. *The American Journal of Engineering and Technology*, 3(12), 26-33.
61. Mirzajonovich, Q. G., & Qizi, M. Z. A. (2021). Determination Of Condensation On The Inner Surface Of The Walls Of Canoe Buildings Under The Influence Of Aerosols. *The American Journal of Engineering and Technology*, 3(12), 14-19.
62. Қодиров, Ф. М., & Мирзабабаева, С. М. (2022). Бетон ва темирбетон конструкциялар бузилишининг турлари ва уларнинг олдини олиш. *INTERNATIONAL CONFERENCE ON LEARNING AND TEACHING*, 1(6), 91-95.
63. Ogli, A. U. A., Ogli, X. A. M., & Mirzajonovich, Q. G. (2020). Hazrati Imam Architecture The Complex Is A Holiday Of Our People. *The American Journal of Engineering and Technology*, 2(11), 46-49.
64. Gayradjonovich, G. S., Mirzajonovich, Q. G., Tursunalievich, S. B., & Ogli, X. A. M. (2021). Corrosion State Of Reinforced Concrete Structures. *The American Journal of Engineering and Technology*, 3(06), 88-91.
65. Momin, N., Mirzajonovich, Q. G., Tursunalievich, S. B., & Gayradjonovich, G. S. (2021). Reception of improving the microclimate in the houses of the fergana valley. *The American Journal of Engineering and Technology*, 3(06), 92-96.
66. Ogli, X. A. M., Ogli, A. U. A., & Mirzajonovich, Q. G. (2020). Ways Of Implementation Of Environmental Emergency Situations In Engineering Preparation Works In Cities. *The American Journal of Engineering and Technology*, 2(11), 108-112.
67. Мирзабабаева, С. М. & Қодиров, Ф. М. (2022). Биноларни ўрвчи конструкцияларини тузлар таъсиридаги сорбцион хусусиятини яхшилаш. *INTERNATIONAL CONFERENCE ON LEARNING AND TEACHING*, 1(6), 86-90.
68. Mirzajonovich, Q. G., Ogli, A. U. A., & Ogli, X. AM (2020). Influence Of Hydro Phobizing Additives On Thermophysical Properties And Long-Term Life Of Keramzit0betona In An Aggressive Medium. *The American Journal of Engineering and Technology*, 2(11), 101-107.
69. Кодиров, Г. М. Набиев, М. Н., & Умаров, Ш. А. (2021). Микроклимат В Помещениях Общественных Зданиях. *TA'LIM VA RIVOJLANISH TAHLILI ONLAYN ILMIY JURNALI*, 1(6), 36-39.
70. BINO TOM QISMIGA VERTALYOT QO'NISHI NATIJASIDA BINONING KONSTRUKSIYALARIDAGI O'ZGARISHLARI" 2023/10/5, "SCIENTIFIC BASIS OF APPLICATION OF INNOVATION AND ENERGY-SAVING TECHNOLOGIES IN THE

CONSTRUCTION OF ENGINEERING COMMUNICATIONS" Authors: D.G'. G'ulomov, A.R. G'ulomov

71. Xasanjon, X. R. (2024). Review and Analysis of the Operation of Monolithic Biaxial Ceilings With Void Generators in Dry and Hot Climates. *Miasto Przyszłości*, 49, 896-901.
72. Abduxodi o'g'li, A. A. (2024). TEMIRBETON KARKAS TIZIMLI XIZMAT KO 'RSATISH BINOSINI SEYSMIK KUCHLAR TA'SIRIGA HISOBLASH VA ULARNI SOLISHTIRMA TAHLILI. *Miasto Przyszłości*, 49, 627-630.
73. Davlyatov, S., Jakhongirov, I., Abdurakhmonov, A., Solijonov, F., & Abobakirova, Z. (2024, November). Determination of the stress-strain state of models of steel cylindrical tanks using the "ANSYS" program. In *E3S Web of Conferences* (Vol. 508, p. 04002). EDP Sciences.
74. Abdukholiq, A., & Golibjon, A. (2023). CALCULATION OF REINFORCED CONCRETE SLAB STRUCTURE UNPROTECTED FROM SUNLIGHT IN NATURAL CLIMATE IN LIRA PK PROGRAM. *Spectrum Journal of Innovation, Reforms and Development*, 21, 245-250.
75. Goncharova, N., Abobakirova, Z., Davlyatov, S., Umarov, S., & Mirzababayeva, S. (2023, September). Capillary permeability of concrete in aggressive dry hot climate. In *E3S Web of Conferences* (Vol. 452, p. 06021).
76. Y Karimov, I Musaev, S Mirzababayeva, Z Abobakirova, S Umarov, Land use and land cover change dynamics of Uzbekistan: a review, *E3S Web of Conferences* 421, 03007
77. Akramov, X., Davlyatov, S., Umarov, S., & Abobakirova, Z. (2023). Method of experimental research of concrete beams with fiberglass reinforcement for bending. In *E3S Web of Conferences* (Vol. 365, p. 02021). EDP Sciences.
78. Mirzababayeva, S., Abobakirova, Z., Umarov, S. Crack resistance of bent concrete structures with fiberglass reinforcement, *E3S Web of Conferences*, 2023, 452, 06023.
79. Strength and uniformity of composite reinforced columns, Akramov, K., Davlyatov, S., Kimsanov, B. *E3S Web of Conferences*, 2023, 452, 06012.
80. Comparison of current and expired norms for the development of methods for checking and monitoring the seismic resistance of buildings. Shodiljon Umarov, Khusnitdin Akramov, Zebuniso Abobakirova and Saxiba Mirzababayeva, *E3S Web Conf.*, 474 (2024) 01020, DOI: <https://doi.org/10.1051/e3sconf/202447401020>.
81. Analytical calculation of bending elements with basalt fiber and glass composite rod reinforcement under short-term dynamic loading, Akramov, K., Davlyatov, S., Nazirov, A., *E3S Web of Conferences*, 2023, 452, 06006.
82. Abdulkhaev, Z., Madraximov, M., Abdujalilova, S., Mirzababayeva, S., Otakulov, B., Sattorov, A., & Umirzakov, Z. (2023, September). Flow trajectory analysis and velocity coefficients for fluid dynamics in tubes and holes. In *E3S Web of Conferences* (Vol. 452, p. 02010).
83. Goncharova N. I., Abobakirova Z. A., Mukhamedzanov A. R. Capillary permeability of concrete in salt media in dry hot climate // *AIP Conference Proceedings*. – AIP Publishing LLC, 2020. – T. 2281. – №. 1. – C. 020028.
84. Comparability of estimates of the impact of gunpowder and gas-dynamic explosions on the stability of buildings and structures, Tojiev, R., Yunusaliev, E., Abdullaev, I., *E3S Web of Conferences*, 2021, 264, 02044
85. The Significant Technical Mantle of AI in the Field of Secular Engineering: An Innovative Design Akhmedov, J., Jurayev, U., Kosimova, S., Tursunov, Q., Kosimov, L. 2024 4th International

- Conference on Advance Computing and Innovative Technologies in Engineering, ICACITE 2024, 2024, страницы 601–606.
86. Aerodynamic study of the characteristics of the nest one skyscraper under wind load Akhmedov, J., Madaliev, M., Yunusova, M., Kurbonova, N., Fayziyev, A. *E3S Web of Conferences*, 2023, 452, 06018.
 87. Metodology for checking the seismic strength of buildings based on existing norms Abobakirova, Z., Umarov, S., Davlyatov, S., Nasriddinov, H., Mahmudov, A. *BIO Web of Conferences*, 2024, 105, 05014.
 88. Improving the thermal properties of lightweight concrete exterior walls Goncharova, N., Ababakirova, Z., Davlyatov, S., Umarov, S., Mirzababayeva, S. *E3S Web of Conferences*, 2024, 508, 05002.
 89. Operation of reinforced concrete beams along an inclined section under conditions of one-sided heating, Umarov, S., Mirzababayeva, S., Abobakirova, Z., Goncharova, N., Davlyatov, S. *E3S Web of Conferences*, 2024, 508, 05001.
 90. Mirzaakbarovna, M. S. (2023). INTEGRATION IS THE BASIS OF QUALIFIED PERSONNEL TRAINING. *Journal of Innovation in Education and Social Research*, 1(4), 233-239.
 91. Mirzababaeva, S. (2023). OPERATIONAL RELIABILITY OF RECONSTRUCTED BUILDINGS-STRUCTURES. *Spectrum Journal of Innovation, Reforms and Development*, 21, 235-239.
 92. Mirzababaeva, S. M. (2021). The influence of elevated and high temperatures on the deformability of concrete. *Anal. Educ. Dev*, 1(6), 40-43.v
 93. Mirzababayeva, S. M. (2023). DETERMINATION OF STRENGTH CHARACTERISTICS OF HEAT-RESISTANT CONCRETE ON ALUMINA CEMENT. *Web of Scholars: Multidimensional Research Journal*, 2(11), 34-38.
 94. Asrorovna, A. Z., & Abdug'ofurovich, U. S. (2023). ISSUES OF RATIONAL USE OF WASTE IN THE PRODUCTION OF BUILDING MATERIALS. *Spectrum Journal of Innovation, Reforms and Development*, 22, 94-100.
 95. Abdug'ofurovich, U. S. (2023). INVESTIGATION OF CROSSBARS WITH REINFORCED CONCRETE AND COMPOSITE REINFORCEMENT. *Spectrum Journal of Innovation, Reforms and Development*, 22, 77-84.
 96. Abdug'ofurovich, U. S., & Asrorovna, A. Z. (2023). THE ROLE OF BINDERS AND FILLERS IN THE STUDY OF CONCRETE PROPERTIES. *Spectrum Journal of Innovation, Reforms and Development*, 22, 101-109.
 97. Madraximov, M., Abdulkhaev, Z., Ibrokhimov, A., & Mirababaeva, S. (2024, June). Numerical simulation of laminar symmetric flow of viscous fluids. In *AIP Conference Proceedings* (Vol. 3119, No. 1). AIP Publishing.
 98. UMAROV, S. A. (2021). STRENGTHENING AND DEFORMATION OF GLASS COMPOSITE ARMATURES MANUFACTURED IN UZBEKISTAN. *THEORETICAL & APPLIED SCIENCE Ученители: Теоретическая и прикладная наука*, (11), 829-835.
 99. Mirzaakbarovna, M. S. (2023). FACADE STUDY METHODS. *Journal of Innovation in Education and Social Research*, 1(4), 240-246